



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/773,255	01/31/2001	Carlo Amalfitano	2479.1025-000	4337	
21005 7.	590 03/24/2004		EXAM	EXAMINER	
HAMILTON, BROOK, SMITH & REYNOLDS, P.C.			DANIEL JR, WILLIE J		
530 VIRGINIA P.O. BOX 9133	<del>-</del>		ART UNIT	PAPER NUMBER	
	MA 01742-9133		2686		
			DATE MAILED: 03/24/2004	ļ	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	pplicant(s)				
	09/773,255	AMALFITANO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Willie J. Daniel, Jr.	2686				
The MAILING DATE of this communication			<u> </u>			
Period for Reply		·				
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO  - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a  - If NO period for reply is specified above, the maximum statutory per  - Failure to reply within the set or extended period for reply will, by stany reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	N. R 1.136(a). In no event, however, may a reply within the statutory minimum of the riod will apply and will expire SIX (6) MC atute, cause the application to become a	n reply be timely filed irty (30) days will be considered timely. INTHS from the mailing date of this communicati ABANDONED (35 U.S.C. § 133).	ion.			
Status						
1) Responsive to communication(s) filed on 0	1/07/2004.					
, ,	This action is non-final.					
3) Since this application is in condition for allo						
Disposition of Claims						
4) ☐ Claim(s) 3,4 and 8-17 is/are pending in the 4a) Of the above claim(s) is/are withe 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 3,4 and 8-17 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	drawn from consideration.					
Application Papers						
9)⊠ The specification is objected to by the Exam	niner.					
10)☐ The drawing(s) filed on is/are: a)☐ :						
Applicant may not request that any objection to			i i n			
Replacement drawing sheet(s) including the cor						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of:  1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International Bu * See the attached detailed Office action for a	nents have been received.  Itents have been received in oriority documents have been reau (PCT Rule 17.2(a)).	Application No on received in this National Stage				
Attachment(s)  1) D Notice of References Cited (PTO-892)	4) Interview	v Summary (PTO-413)				
<ul> <li>1) Notice of References Cited (PTO-892)</li> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB Paper No(s)/Mail Date</li> </ul>	Paper N	o(s)/Mail Date Informal Patent Application (PTO-152)				

Application/Control Number: 09/773,255 Page 2

Art Unit: 2686

### **DETAILED ACTION**

## Specification

1. The disclosure is objected to because of the following informalities:

The Detailed Description of the Invention does not provide a "serial no." on page

8, line 11. The Examiner suggests adding in the appropriate serial no.

Appropriate correction is required.

2. The objection to the Abstract is withdrawn.

Art Unit: 2686

Page 3

#### Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 3, 4, 8-17 are rejected under 35 U.S.C. 102(b) as being anticipated by **Dent** (US 5,894,473).

Regarding Claim 3, Dent discloses in a cellular mobile radiotelephone system which reads on the claimed "wireless communication system" in which mobile station (170) reads on the claimed "remote subscriber units" are located in cells, and at least two cells are located adjacent one another, each cell having a base station unit (160) that coordinates communication with remote units (170) located within its respective cell (see col. 20, lines 39-46; Figs. 10 and 12), a method comprising the steps of:

in an operating base station (1), determining the existence of communications occurring in adjacent cells (see col.8, line 29-37; col. 16, lines 11-15, 32-64), where the base station is able to determine the communication in adjacent cells to allocate timeslots according to the power;

receiving, by the operating base station (1), a report of an expected time of low interference communications from an adjacent base station (2) (see col.8, line 29-37; col. 16, lines 11-15, 32-64; col. 20, line 39 - col. 21, line 6), where the base station is informed of the low and high interference from an adjacent base station to determine how to allocate timeslots in which the report is the control information provided by the MSC (165) or base

Art Unit: 2686

station (160) during the monitoring of cells. The MSC or BS controller performs the processing decisions in which the BS provides the information of the candidate cells to the mobile unit. Therefore, the each BS must have information from each of the adjacent BS.; and

scheduling transmission of high interference communications associated with a subscriber unit (170) in the cell associated with the operating base station (1) at the expected time of low interference communications in the adjacent cell (2) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64), where the transmission of signals are schedule in accordance to high power with low power to minimize interference between timeslots.

Regarding Claim 4, Dent discloses wherein the report is a report of a service status message from the adjacent base station (2) and is relayed from a subscriber unit (170) located in the cell served by the serving base station (1) (see col.8, line 29-37; col. 16, lines 11-15, 32-64; col. 20, line 39 - col. 21, line 6; Fig. 10 and 12), where the absolute and relative information (report) is broadcasted to the mobile (170) from the base station where the candidate cells are monitored by base stations and MSCs to determine how to allocate timeslots for mobiles within cells. The MSC or BS controller performs the processing decisions in which the BS provides the information of the candidate cells to the mobile unit. Therefore, each BS must have information from each of the adjacent BS.

Regarding Claim 8, Dent discloses in a wireless communication system in which remote subscriber units (170) are located in cells, and at least two cells are located adjacent one another, each cell having a base station unit (160) that coordinates communication with

Art Unit: 2686

remote units (160) located within its respective cell (see col. 20, lines 39-46; Figs. 10 and 12), a method comprising steps of:

in an operating base station (1), determining the existence of communications occurring in adjacent cells (see col.8, line 29-37; col. 16, lines 11-15, 32-64), where the base station is able to determine the communication in adjacent cells to allocate timeslots according to the power;

receiving, by the operating base station (1), a report of an expected time of high and low interference communications from an adjacent base station (2) (see col.8, line 29-37; col. 16, lines 11-15, 32-64; col. 20, line 39 - col. 21, line 6), where the base station is informed of the low and high interference from an adjacent base station determine how to allocate timeslots in which the report is the control information provided by the MSC or base station during the monitoring of cells. The MSC or BS controller performs the processing decisions in which the BS provides the information of the candidate cells to the mobile unit. Therefore, each BS must have information from each of the adjacent BS.; and

scheduling transmission of high interference communications associated with a subscriber unit (170) in the cell associated with the operating base station (1) at the expected time of low interference communications in the adjacent cell (2) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64), where the transmission of signals are schedule in accordance to high power with low power to minimize interference between timeslots.

Regarding Claim 9, Dent discloses a method as claimed in claim 3, wherein transmission scheduling further comprises:

Application/Control Number: 09/773,255 Page 6

Art Unit: 2686

assigning specific time slots to specific subscriber units (170) (see col. 15, lines 42-49; col. 16, line 2-5, 11-15, 32-64), where the mobile stations are provided timeslots according to the power level of the signal strength and interference level; and

coordinating allocation of a time slot to a high interference communication in one base station (1) with the allocation of a time slot for a low interference communication in an adjacent base station (2) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64), where the transmission of signals are schedule in accordance to high and low power to minimize interference between timeslots.

Regarding Claim 10, Dent discloses wherein the coordinated communications are reverse link signals traveling from the subscriber units (170) towards the base stations (160) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 15, lines 42-49; col. 16, lines 2-5,11-15,32-64; Fig. 12), where the mobile unit communicates (transmit) data with the base station over a reverse link which would be coordinated according to power and interference level.

Regarding Claim 11, Dent discloses wherein the coordinated communications are forward link signals traveling from the base station (160) towards the subscriber units (170) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 15, lines 42-49; col. 16, lines 2-5,11-15,32-64; Fig. 12), where the mobile unit communicates (receive) data from the base station over a forward link which would be coordinated according to power and interference level.

Regarding Claim 12, Dent discloses scheduling transmission of low interference communications associated with a subscriber unit (170) in the cell associated with the

Art Unit: 2686

operating base station (1) at the expected time of high interference transmissions from the adjacent base station (2) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64), where the transmission of signals are schedule in accordance to high power with low power to minimize interference between timeslots.

Regarding Claim 13, Dent discloses a wireless communication system (see col. 20, lines 39-46; Figs. 10 and 12) comprising:

at least two cells located adjacent to one another, each cell having a base station unit (160) that coordinates communication with remote units (170) located within its respective cell (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64; Fig. 12);

a communications link for transmitting, to a first base station (1) from a second base station (2), a report of an expected time of high and low interference communications from an adjacent base station (2) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64; Fig. 12), where the base stations communicate with each other and the MSC (165) or base station controller which is inherent to provide a report to determine how to allocate timeslots in accordance to high and low power interference. The MSC or BS controller performs the processing decisions in which the BS provides the information of the candidate cells to the mobile unit. Therefore, each BS must have information from each of the adjacent BS.; and

a processor (129) which reads on the claimed "resource allocator" at the first base station (1) for scheduling transmission of high interference communications associated with a subscriber unit (170) in the cell associated with the first base station (1) at the expected time

Art Unit: 2686

of low interference communications in the adjacent cell (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 16, lines 2-5,11-15,32-64), where processor of the base station allocates timeslots to schedule high interference with low interference.

Regarding Claim 14, Dent discloses wherein the communication link is a wire line (see col. 20, lines 39-47; Fig. 12), where the communication link is a wire between the base station (160) and MSC (165).

Regarding Claim 15, Dent discloses wherein the communication link further comprises a control and processing unit (162) which reads on the claimed "resource allocation station" (see col. 20, lines 39-56; Fig. 12), where the link is connected to the processing unit of the base station (160).

Regarding Claim 16, Dent discloses wherein the coordinated communications are reverse link signals traveling from the subscriber units (170) towards the first base station (160) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 15, lines 42-49; col. 16, lines 2-5,11-15,32-64; Fig. 12), where the mobile unit communicates (transmit) data with the base station over a reverse link which would be coordinated according to power and interference level.

Regarding Claim 17, Dent discloses wherein the coordinated communications are forward link signals traveling from the first base station (160) towards the subscriber units (170) (see col. 8, line 29-37; col. 9, lines 15-29; col. 10, lines 20-36; col. 15, lines 42-49; col. 16, lines 2-5,11-15,32-64; Fig. 12), where the mobile unit communicates (receive) data from the base station over a forward link which would be coordinated according to power and interference level.

Application/Control Number: 09/773,255 Page 9

Art Unit: 2686

#### Response to Arguments

4. Applicant's arguments with respect to claims 3, 4, 8-17 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
  - a. Benveniste (US 6,128,498) discloses a wireless communication system for managing of neighbor-channel interference with power control and directed channel assignment as stated in column 14 column 15 and as shown in Figs. 6a, 6b, 6c, and 10.
  - b. Plaschke et al. (US 6,023,622) discloses a wireless communication system as stated in column 8, lines 4 column 9, lines 29; column 11, lines 48 column 12, lines 10.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Willie J. Daniel, Jr. whose telephone number is (703) 305-8636. The examiner can normally be reached on 7:30-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on (703) 305-4379. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2686

Page 10

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

WJD,JR/wjd,jr 17 March 2004 Marsha D. Banks-Hared MARSHA D. BANKS-HAROLD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600